

MAXWELL®

Now available in HET
Dual flush Models

TOILETS AND LAVATORIES

THE STARTING LINE OF PERFORMANCE

Gerber value starts here with our most affordable selection of toilets and lavatories. This is proof that quality and style can fit well within any budget. The combined features of an efficient bowl with a large water surface and a glazed trapway allow for a maximum in light and bulk waste removal.

- Reliable and consistent performance
- Large water surface keeps bowl clean
- Multi point tank to bowl connection for tank stability
- Corrosion resistant solid brass tank bolts
- Gerber exclusive double nut mounting system for secure leak proof installation and maintenance
- Color matched tank levers to complement any faucet finish
- Available in 10", 12" and 14" rough-ins
- Round front, Elongated and ErgoHeight™ Elongated bowls
- Options include: right hand lever, insulated tank (not available on all models)
- Available in White, Bone and Biscuit
- 5 year limited warranty



www.gerberonline.com

MAXWELL® SERIES

GRAVITY-FED TOILETS

- 1.6 gpf (6.0 Lpf) gravity fed toilet
- Glazed trapway
- Color matched tank lever (white only)
- 2" Flush valve
- Optional right hand tank lever
- Optional insulated tank (12" rough-ins)
- Optional Fluidmaster® 400A fill valve



ONE-PIECE ELONGATED

MODEL	ROUGH-IN
21-017	12"



ROUND FRONT

COMBINATION	BOWL	TANK	ROUGH-IN
21-400	21-752	28-495	10"
21-402	21-752	28-490	12"
21-404	21-752	28-494	14"



ELONGATED

COMBINATION	BOWL	TANK	ROUGH-IN
21-410	21-762	28-495	10"
21-412	21-762	28-490	12"
21-414	21-762	28-494	14"



ELONGATED - 17" ERGOHEIGHT™

COMBINATION	BOWL	TANK	ROUGH-IN
21-417	21-728	28-495	10"
21-418	21-728	28-490	12"
21-424	21-728	28-494	14"



MAXWELL® SERIES

Uses 20% less water
than 1.6 Models

DUAL FLUSH TOILETS

- Dual Flush 1.1/1.6 gpf (4/6 Lpf) gravity-fed toilet
- Uses 20% less water than standard 1.6 gpf toilets
- Generous water surface ensures a clean bowl with every powerful flush!
- Top-activated, two button actuator allows easy selection of appropriate flush volume
- Available in White and Biscuit



ROUND FRONT HIGH EFFICIENCY TOILET HET

COMBINATION	BOWL	TANK	ROUGH-IN
DF-21-100	21-152	DF-28-195	10"
DF-21-102	21-152	DF-28-190	12"

WaterSense pending



ELONGATED HIGH EFFICIENCY TOILET HET

COMBINATION	BOWL	TANK	ROUGH-IN
DF-21-110	21-162	DF-28-195	10"
DF-21-112	21-162	DF-28-190	12"

WaterSense pending



ELONGATED - 17" ERGOHEIGHT™ HIGH EFFICIENCY TOILET HET

COMBINATION	BOWL	TANK	ROUGH-IN
DF-21-117	21-128	DF-28-195	10"
DF-21-118	21-128	DF-28-190	12"

HIGH EFFICIENCY TOILET
HET

High Efficiency Toilets are defined as saving 20% or more vs 1.6 gpf (6.0 Lpf) toilets while meeting minimum performance requirements.



Developed by the US EPA, the WaterSense label is used on toilets and faucets that are certified by independent laboratories to meet rigorous criteria for performance and efficiency.



MAXWELL® SERIES

LAVATORIES

PEDESTAL LAVATORIES

- Fully open pedestal leg for easy drain connection
- Concealed front overflow
- Petite lav 20 1/2" wide
- Standard lav 25 1/2" wide



PETITE

COMBINATION	LAVATORY	PEDESTAL	DESCRIPTION
22-504	12-504	29-842	4" Centers

STANDARD

COMBINATION	LAVATORY	PEDESTAL	DESCRIPTION
22-514	12-514	29-842	4" Centers
22-518	12-518	29-842	8" Centers



SELF-RIMMING LAVATORIES

- Large faucet deck, Wide raised 3/4" lip
- Universally accessible
- ADA compliant
- Concealed front overflow
- Models ending in -CH come in trapezoid boxes



ROUND MODELS	DESCRIPTION
12-884 or 12-884-CH	4" Centers
12-888 or 12-888-CH	8" Centers



OVAL MODELS	DESCRIPTION
12-831 or 12-831-CH	Single Hole
12-834 or 12-834-CH	4" Centers
12-838 or 12-838-CH	8" Centers

Faucets sold separately

